

# GENERAL NOTES

- THE CONTRACTOR IS REPERRED TO THE SPECIFICATIONS RESEARCHIS COORDINATION WITH OTHERS, NOLLIDING RESPONSIBILITIES AND RELATED COSTS, ALL UTILITY CONSTRUCTION IS SUBJECT TO AFFROYAL INSPECTION BY UTILITY CONFIANY FERBOANEL PRIOR TO BACKFILL OF TRENCHES.
- 2) BELLOU GRACE UTILITY INCOMPATION IS BASED IN TITTETAM INSTRUCTION BY UTILITY COPPANY FERRONNEL PRIOR TO BACCHILL OF TREMCHES.

  20 BELLOU GRACE UTILITY INCOMPATION IS BASED UPON TIELD DAYSEY, INCOMPANIAN LOCATIONS AND BELEVATIONS OF THE UTILITY BASED AND REPORT OF THE WORLD HILL THE UTILITY BY THE WORLD LIVES WHICH ARE DAYN AT PROOFFED BELEVIEW, OR BELEVIEW, AND REPORT BELEVIEW, AND
- ) THE CONTRACTOR IS LEGIENT CAUTIONED THAT ALL SITE FEATURES SHOWN HERSON ARE BASKED ON TIELD CRESSIVATIONS BY THE SERVICEOR AND ENTREPORTION FROWDED BY THILTY CONTRACTOR HERSON TO BE RELIDED ON AN BEING ENGLOTOR CONTRACTOR. THE CONTRACTOR SHALL CONTRACT DIS SHEET (HESP-DISSINED) AT LEAST THREE (8) BIT NOT MORE THAN THRITY (36) DAYS FRIEND TO CONTRACTOR SHALL CONTRACT DISSIPATION TO ALL THRITY (36) DAYS FRIEND TO CONTRACTOR SHALL CONTRACTOR TO A CONTRACTOR SHALL CONTRACTOR TO CONTRACTOR SHALL CONTRACTOR TO CONTRACTOR SHALL CONTRACTOR OF ALL MILITERS.
- CONTRACTOR GHALL BE ALLARE THAT DIG GAPE ONLY NOTIFIES TIG PRETIDER UTILITIES ABOUT THE DIG. WERN NOTIFIED, DIG GAPE WILL ADVISE CONTRACTOR OF PRETIDER UTILITIES IN THE AREA CONTRACTOR IS REPORTABLE FOR DEINTETING AND CONTACTING NOTIFIES AND THAT DESIRE UTILITIES DESCRIPTION AND CONTACTING NOTIFIES AND THAT DESIRE UTILITIES AND DESIRES DATE OF THE CONTACTION NOTIFIES AND BELL TO BEGINNED TO SERVICE THE AREA OF THE CONTRACTOR AND SERVICE AND THAT DESIRES AND SERVICE AND ADMINISTRATION OF THE AREA OF THE DESIRES AND THAT DESIRES AND THE DESIRES AND THAT DESIRES A
- I CONTRACTORS WHALL BE RESPONSIBLE FOR COMPLIANCE WITH THE RECLIEBENSING OF 25 MRIAA 2846-A. IT WHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE WITH THE APPROXIMATE WILLIES TO OSTAN AUTHORIZATION FRACE TO RELOCATION OF ANY EXISTING WHICH CONFLICT WITH THE PROPOSED IMPROVEMENTS WHICH CONFLICT ANGES, THE CONTRACTOR SHALL WHICH CONFLICT WITH THE PROPOSED TO THE OFFICE OF THE OFFICE WITH THE PROPOSED TO THE OFFICE WHICH COMPANY PRIOR TO PROCEEDING WITH ANY RELOCATION.
- ) ALL EXISTING STORY DRAIN LINES EXCONTERED DURING CONSTRUCTION ARE TO RETAIN IN SERVICE. ANY EXISTING STORY DRAIN LINES OR CILLYERIS DAYAGED DURING CONSTRUCTION GHALL BE REPAIRED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE CITY, ALL TIEST PRIS CHALL BE EXCAPTED PRIOR TO CONSTRUCTION LAYOUT AND ESSELTS REPORTED TO BESIEVER FOR REVISEL ORS CONFORMANCE WHITH FLANS.
- THE CONTRACTOR MAY ENCOUNTER ASSESTED CHEST PRIE DURN'S PROBECULTUR OF THE UNITS. CONTRACTOR MAY ENCOUNTER ASSESTED AND ALL OTHER PEDERAL OF THE UNITS. CONTRACTOR MAIL CORPORT TO ALL APPLICASE E PROVINCIAS OF CHILD WITH AND ALL CORPORT TO ALL OTHER PEDERAL STATE AND LOCAL REGULATIONS WERN HAVOLING AND/OR DISPOSANCE OF ASSESTED CHEST PROJECT OF THE HAVOLING AND/OR DISPOSANCE.
- ALL PRECINCIS AND PRESENSATION AND APPLY OF THE TREATMENT DECEMBER AND REPORTED THE PRESENT OF THE CONTRACTOR OF THE CON
- ALL TEST PITS SHALL BE COMPLETED A MINDLE OF TWO LEEKS PRIOR TO ORDERING THE ADJACENT STRUCTURES. THE INFORMATION FROM THE TEST PITS SHALL BE SUBTITIED TO THE ENGAGER FOR RELYBULAD PRIVAICAL
- D) IN THOSE INSTANCES WHERE POWER OR TELEPHONE POLE SUPPORT IS REQUIRED, THE CONTRACTOR SHALL PROVIDE A HINNAH 48-HOUR NOTIFICATION TO CHE OR PARRONT, RESPECTIVELY, NO ADDITIONAL PAYTERT WILL BE PROVIDED FOR TEMPORARY BRACING OF UTILITIES.
- ) IN THOSE INSTANCES THAT A UTILITY NEEDS TO BE RELOCATED, THE CONTRACTOR SHALL COORDINATE WITH THE RESPECTIVE UTILITY DIMSKOVCCHPANY TO SCHEDULE THE WORK AFTER THE COMPLETION OF THE TEST 1915.

- THE CONTRACTOR WILL BE RESPONDIBLE FOR OBTAINNS ALL FERRITIS. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO BE FAMILIAR WITH THE APPLICABLE PROVIDED ON THOSE PROVISIONS DURING CONSTITUTION. THE CONTRACTOR WILL FOR ALL SPECIAL DRICKLESS, PAY ALL REDS PROVIDE PROVIDED REGISTRACE AS RECEIVED, PAY ALL REDS PROVIDE PROCESSES.
- 7. THE CHARTE MALL LEE REPOYNMENT EICH COSTABANA ALL INFORMANT (RIGHTS OF MAY AND EMERGENT). THE CONTRACTION RAMLL YESTEY THAT RESERVED AND THE RECORDANCE EMERGENT HAVE THE RECORDANCE EMERGENT EMERGENT THE CHARTE AND THE RECORDANCE OF THE CONTRACTION OF DEPICHEL MAY THE PARTY THE APPLICABLE PROVINCIAN OF THE CONTRACTION OF DEPICHEL MAY THE THAT THE APPLICABLE PROVINCIAN OF THE CONTRACTION OF DEPICHE MAY AND EMBERS OF THE OWNER PROVINCIAL FOR THE VALUE THE CONTRACTION OF THE CONTRACTI
- THE CONTRACTOR SHALL BE THAN CHARLE FOR THE LAYOUT OF ALL PROPOSED LINES AND GRADES AS SKININ ON THE DRAINING. THE HORIZONTAL ALKINNENT OF THE NEW STORM DRAINS AND SANTARY SELER HAY BE ADJUSTED IN THE FELD SUBJECT TO PRIOR APPROVAL BY THE BISINESS.
- OTHE CONTRACTOR BHALL BE RESPONSIBLE FOR RESERTING ALL EXISTING PROPERTY HONE-BITATION THAT IS DISTURBED BY HIS OPERATIONS AT NO EXPRESS TO THE CUNSERCITY. THIS WORK IS TO BE DONE BY A LAND SURVEYOR REPUBLISHED IN THE STATE OF HAIVE.
- ) THE CONTRACTOR SHALL BE RESPONSIBLE FOR SEDIFIERT CONTROL AND THE PREVIATION OF BROKEN, ALL DISTURBED EARTH SUFFACES ARE TO BE STASPLUZOD IN THE SECRETION FRACTICAL THE JAN TEMPORARY SEDIFIERT AND RECORDS CONTROL DEVICES SHALL BE BYFELDTED WITLINGTON THE STASPLUZOD IN THE SECRETION OF THE PROPERTY SEDIFIERT AND RECORDS CONTROL DISTURBED. BYFELDTED BYFELDT BYFELDT BYFELDT BYFELDT BYFELDT BYFELDT BYFELDT BYFELDT BYFELDT BYFELDD BYFELDT BYFELDT BYFELDT BYFELDT BY
- CCPPACTION TBSTS SHALL BIS PROPORTISD IN ACCORDANCE WITH HIDOT SPECIFICATIONS WITH RESULTS OF TESTING SUBMITTED TO THE CUMBR.
  ANY SETTLEFENT OCCUPRING WITHIN ONE YEAR OF SUBMITANTIAL COMMERTION OF THE PROJECT WILL BE CORRECTED BY THE CONTRACTOR AT NO ADDITIONAL BOMBORE TO THE CUMBR.
- OPEN TRENCHES CUTSIDE OF THE RIGHT OF MAY SEE LEFT CITEN IF THE CONTRACTOR PROVIDES 6/4FE BARRICADING AND LIGHTS.
- CONTRACTOR SHALL CONTROL DUST WITH APPROPRIATE DUST CONTROL MEASURES. CONTRACTOR SHALL NOT TRACK OR SPILL EARTH AND DESIRED OF THE PUBLIC SHOULD SUPPLY AND PIECE OF DESIRED FOR THE PUBLIC SHALL BE KERT SUPPLAND FINES OF DESIRES.
- ALL ROAD ANTACTS SHALL FITCH 14 INCH FER ROOT HINNIN FROM CENTERLINE TO GUTTER INLESS OTHERWISE NOTED. ALL VEGETATED AREAS THAT ARE EXCAVATED, FILLED OR OTHERWISE DISTURBED BY THE CONTRACTOR AND ARE NOT TO BE FAVED OR FILLED WITH REP-PAP SHALL BE LOATED, GRADED, LIFED, RETUINIZED, SEEDED AND HULLEDED AT NO ADDITIONAL BOYSINGE TO THE CITY/OWNER.
- THE CONTRACTOR SHALL COPPLY WITH ALL APPLICABLE REGULATIONS OF THE COCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHIA) AND ALL OTHER APPLICABLE LOCAL STATE AND REPORTAL REES, REGULATIONS AND LAWS.
- THE CONTRACTOR SHALL NOT HAVE MAY RIGHT OF PROPERTY IN ANY SETABLE PLATERIALS TAKEN FROM ANY EXCAVATION, SUITABLE BUCKNATED HATBRIEL, AS APPROVED BY THE BUCKNESS, HAY BE INCORPORATION IN THE PROJECT, SITH BUCKSES HATBRIEL, DISPOSED OF AT A LOCATION, APPROVED BY THE CITYLOURS. THESE PROVISIONS SHALL NO HAVE THE SINH BUCKNESS FOR CHIEF CORPORATION OF THE CITYLOURS. THE CONTRACTOR CHIEF CORPORATION OF THE SIGNESS OF THE CONTRACTOR CHIEF CONTRACT
- THE CONTRACTOR IS TO TAKE SPECIAL CARE NOT TO DAMAGE TREES WITHIN THE CONSTRUCTION AREA UNLESS THEY ARE NOTED TO BE REMOVED.
- ) idasting storm manholes or catch basins not to remain in service shall be removed by the contractor. ) PROVIDE 2" RUCID NOLLATION OVER WATER AND GELER MANG AND GERVICES WHEN COVER 16 LEGS THAN 4 FRET AND WHIRE DIRECTED BY THE BYCHERE COMPRACTOR SHALL SUPPLY NOLLATION.
- HINOR ADJUSTIBATION TO THE ALIGNMENT OF PROPOSICE WILITIES SHALL BE ALLOUED TO ACCOPTODATE EXISTING WILITIES WHERE APPROPRIATE

  AS APPROVED BY THE INCIDENCE.
- D. A HINNAM VERTICAL OR HORIZONTAL SEPARATION OF 6 NO-BIS BETWEEN THE WATER LINES (NOLLDING SERVICES) AND STORM DRAINAGE PIPES AND STRUCTURES, SHALL SE MAINTAINED, 2º RIGID SISLATION SHALL SE RETAILED WAS REPARATION IS LESS THAN IS NO-ES.
- DOSTING SIGNS THAT ARE PERCITED BY THIS PROJECT SHALL SEE HIGHET IN ACCORDANCE WITH HUTGO.
- CTOR SHALL RESULT OR REPULD MALKINAY STEPS MAIN RECESSARY. MORK SHALL BE COMMERSED INCIDENTAL
- ALL TEST PITS SHALL BE DICAYATED PRIOR TO CONSTRUCTION LAYOUT AT THE APPROXIMATE LOCATIONS NOTED ON THE PLANS AND ACTUAL LOCATIONS OF BROWNINGS UTLITED SHALL BE REPORTED TO THE CITY ENGINEER HERE APPROPRIATE, THOR ADJUSTICENTS TO THE ALLENNESTS OF PROPORDED LOSS SHALL BE REPORTED AT THE SHALL BE REPORTED.
- THE HARRIS NOIGHTED ON THE PLAN SHEETS ARE TO THE MISTOR FACE OF THE HARRISE.
- DELIATERNS EFFORTS FROM SANTARY OR COMBINED SELERS SHALL NOT BE DISCHARGED TO THE STORFDRAIN. DELIATERING EFFORTS FROM STORFLATER SHALL NOT BE DISCHARGED TO THE SELERS OR COMBINED STORFLATER SHALL NOT BE DISCHARGED TO THE SELERS OR COMBINED STORFLATER.
- ) STORM DRAIN INVENTS FOR CROSS STREET CONNECTIONS SHALL BE BASED ON ELEVATIONS OF EXISTING UTLITES AS DETERMINED IN THE FIELD.
  COMPACTOR SHALL COORDINATE PROPOSED STORM ENGERS WITH THE BEGINEERS.
- CONTRACTOR TO VENETY TITPE (DIRECK OR PRECAST CONCRETE) AND CONDITION OF ALL 61H/6 AND DINH'6 IPPACTED AS PART OF THIS WORK. CONTRACTOR TO HANTAIN THE INTEGRATY OF ALL 61RUCTURES TO BE RELIGIED, DAVIAGE TO EXISTING STRUCTURES SHALL BE RET-AIRED AT CONTRACTORS DEPORTED.
- TOR TO RESTORE SIDELIALKS AND DRIVELIAYS HEACTED BY CONSTRUCTION.
- CONTRACTOR TO RESIRADE AND REPLANT ESPLANADE AREAS IMPACTED BY CONSTRUCTION
- CONTRACTOR TO GASCUT PAYOTEST 49 RECEDIANT TO POPULAL UTLITY PEPPONESSING, CONTRACTOR GIALL DE RESPONSELE POR PREPARING AREAS LIEBER THE EXCEPTING PAYOTEST WAS RESPONSED FOR PAYNIS, INCLUDING GRACING AND ADDITIONAL AMBUST
- CONTRACTOR WHALL YIGHT THE OFFE AND PAPELANDE HIS OR REPORTED BITS ALL CORDITIONS ATTECTED THE PROPOSED WORK, AND SHALL HAVE PROVIDED AS AS TO THE COST THEREOF. CONTRACTOR SHALL BE RESPONSED FOR FAVELANDED HIS OR HER AND PURPLE. CONTRACT THE CONTRACTOR, ANY DISCORDINATION SHALL BE DECIMENT TO THE ATTENTION OF THE BANKED PROPER TO THE CONTRACTOR.

## GENERAL NOTES CONTINUED

- 49) NISTALL ALL EQUIPTENT AND MATERIALS IN ACCORDANCE WITH MANIFACTUREN'S RECEIPENDATIONS AND CUMEN'S REQUIREMENTS UNLESS SPECIFICALLY OTHERWISE INDICATED OR WHERE LOCAL CODES OR RESULATIONS TAKE PRECEIPENCE.
- 46) CONTRACTOR SHALL CLEAN AND REMOVE DEBRIS AND SEDMENT DEPOSITED ON PUBLIC STREETS, SIDBUALKS, ADJACENT AREAS, AND OTHER AREAS OUR TO CONSTRUCTION DAILY.
- 47) THE CONTRACTOR GHALL TAKE FILL RESPONSIBILITY FOR MY CHANGES AND DEVIATION OF APPROVED FLANS NOT AUTHORIZED BY THE BASHERS AND/OR CHARGE
- 48) DETAILS ARE INTENDED TO SHOW END RESULT OF DESIGN ANY MODIFICATION TO SUIT FIELD DIFFERSION AND CONDITION SHALL BE SUBMITTED TO THE BASISTED FOR REVIEW AND APPROVAL PRIOR TO ANY WORK.
- BO) THE CONTRACT WORK TO BE PERFORTED ON THIS PROJECT CONSISTS OF FUNISHING ALL REQUIRED LABOR, MATERIALS, EQUIPMENT, SPILETENTS FARTS AND SUPPLES HECESSARY FOR OR APPRICAMENT TO, THE STALLATION OF CONSTRUCTION PERFORMENTS IN ACCORDANCE WITH THESE DRIVINGS AND AS REPRESE HARDWATED IN MY ACCORDANCES WITH THESE
- BI) THE WORK SHALL BE PERFORTED IN A THOROUGH WORK-HALKE HANNER, ANY REPERBUCE TO A SPECIFICATION OR DESIGNATION OF THE APARICAN SOCIETY FOR TISHING HAMBULLS, REDIRAL, SPECIFICATIONS, OR OTHER STANDARDS, CODES OR ORDERS, REPERS TO THE HOST RECENT OR LATEST SPECIFICATION OR DESIGNATION.
- b) THE CONTRACTOR SHALL GLARANTEE THE FATHFUL REPEDY OF ANY DETECTS DUE TO FAULTY HATERIALS OR LORKYLAWHIP AND GLARANTEES PARTEST FOR ANY RESULTING DAYAGE WHICH SHALL APPEAR WITHIN A PERSOD OF ONE (I) YEAR FROM THE DATE OF GUESTAVIUL COPPLETION.
- 53) THE CONTRACTOR SHALL HOT USE PROVATE PROPERTY FOR STOCKPLING HATERIALS OR PARKING EQUIPMENT OR VEHICLES WITHOUT WRITTEN COMBON WHICH THE PROPERTY CHEEK, ANY DAYLOG DONE TO PROVATE PROPERTY RESILTING WHICH THESE ACTIVITIES SHALL BE THE WESSELD HIT OF THE PROPERTY HEALTH O

# EROSION & SEDIMENTATION CONTROL NOTES

- I) THE CONTRACTOR SHALL INSPECT EROSION A SEDIMENT CONTROL MEASURES MERILY AND AFTER HEAVY RAPFALLS T-ROUGHOUT THE DURANCH OF THE PROJECT INCLUDING MERICENDS AND HOLIDATS, INSPECTION, REPORTS HAVE THE PROJECT TO THE CITY AND CHIEFE MITTHEW AS HAVINGS OF INSPECTION, ALL DECORON AND REPORT CONTROLS AND LIKE HEAVINGAIN DIFFERENCE HAVE AND THE PROST MANAGENETS RESOURCES.
- 2) THE CONTRACTION IS REPROVIBILE FOR COMMISSION THE BROSHON AND RESPIRENT CONTRACT, PERMISSION IN ACCORDANCE WITH THE THANKE BROSHON AND RESIDENCE CONTRACT, INVESTIGATED THAT INVESTIGATED THANKE THAN INVESTIGATED THAN INVESTIGATED WITH THE THANKE THANKE AND AND THANKE TOWN OF BALDIAN, ADDITIONAL PERMISSION SHALL BE REVOLUTED BY THE TOWN OF BALDIAN, ADDITIONAL TOWN OF STATEMOTORS OF WHICH ADDITIONAL COST TO THE OWNERS THAN INVESTIGATED WITH A PROPERTY OF THE OWNERS OF STATEMOTORS OF STATEMOTORS AT NO ADDITIONAL COST TO THE OWNERS OF STATEMOTORS OF STATE
- 3) PRIOR TO CONSTRUCTION, PROFERLY INSTALL GEOPENT DANSERS AT THE DOWN GRADENT EDGE OF THE DISTURBED AREA AND ADJACENT TO DRANAGE CHANGES WITHIN THIS AREA.
- 4) BUT TENCE AND BARK MULCH DERM LOCATIONS SHOUN ARE AFTROXMATE. NOTALL WHERE AFTROPRIATE TO CONTROL SEDIMENTATION ON AND OFF SHE. SULT FENCE SHALL BE REFLOYED AFTER THE SHE IS STABLUED UTH AT LEAST SON VEGETATED GROWN. 6) NO SLOPES, EITHER PERHAVENT OR TEPPORARY, SHALL BE STEEPER THAN 100 TO ONE (\$ 10 IL
- 4) AREAS DISTURBED CURNICS CONSTRUCTION SHALL BE HINHTZED, AREAS SHALL BE TEMPORARILY STABILIZED WITH MUCH OR NON-RECONSULE COVER F EXPOSED SOULS WILL NOT DE WORKED FOR MORE THAN 1 DAYS. FREYWARM SEEDING SHALL TAKE PLACE WITHIN 1 DAYS OF PINAL GRAPMA.
- IF FINAL GREDING OF THE DISTURDED AREAS IS NOT COTFLETED AS DAYS PRIOR TO THE FROT KILLING PROOF, WHITE POPART MILCHING (DODINAM) SEEDING MAY BE ATTEMPTED AS WELLD TO PROTECT THE WITH AND DISLAY MEEDING WITH THE WENT RESCONTINGED GREDING.
- O TENFORMAY CREATING OF DISTURBED AREAS THAT HAVE NOT BEEN PINAL GRADED SHALL BE COMPLETED BY ALGUST BUY OR 49 DAYS FRIOR TO THE FIRST KILLING FROST (OCT. I) TO PROTECT FROM SPRING RINGER PROTECTION.
- PRIVATE TO THE PRIOR KILLING FROST COT. D'IC PROTECT ROTH GENERA REACH FROBLETS.

  NEVERTAIN ON FRANKER SELL COMPENSE UND COMPETITION OF COUNTRICTOR DOUBLET AS NOTICE ABOVE. ALL DISTURSED AREAS NOT CHEMINE STABILIZED BILL DE GRADED, GENOTIED AND FRESTAND FOR FINAL GENERAL AS SELLOUDS.

  AN 4" OF LOAM BILL DE BERRIADO AND PROTECTION OF COUNTRICTOR AND PROTECTION OF COUNTRICTOR AND FINAL SELLOUDS.

  OR ACTUAL SELLOUDS AND PROTECTION AND PROTECTION OF COUNTRICTOR AND PROTECTION OF COUNTRICTOR SELLOUDS. THE PROPERTY OF COUNTRICTOR SELLOUDS AND PROTECTION OF COUNTRICTOR SELLOUDS. AND THE ACRES OF COUNTRICTOR SELLOUDS AND PROTECTION OF COUNTRICTOR SELLOUDS.

  AND ACTUAL DOUBLE COUNTRICTOR SELLOUDS. AND THE PROTECTION OF COUNTRICTOR OF A SERVICE AND ACTUAL OF COUNTRICTOR AND ACTUAL OF COUNTRICTOR OF COUNTRICTOR AND ACTUAL OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE AND ACTUAL OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE AND ACTUAL OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE AND ACTUAL OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF COUNTRICTOR OF COUNTRICTOR OF COUNTRICTOR OF A SERVICE OF COUNTRICTOR OF COUN

# WINTER CONSTRUCTION NOTES

- 2) SITE STABLIZATION FOR UNITER STABLIZATION, HAY HELDH IN APPLIED AT TRICE THE STANDARD TEMPORARY STABLIZATION RATE. AT THE IRNO OF EACH CONSTRUCTION DAY, AREAS THAT HAVE BEEN BROUGHT TO FRUIL GRADE HIST BE STABLIZED. NELCH MAY NOT BE REFERENCE ON LICEN OF THE PROPERTY.
- 3) SEPTEMENT PARKETON ALL AREAS LITHIN 18" OF A PROTECTED NATURAL RESOURCE MUST BE PROTECTED WITH A DOUBLE ROW OF
- DITCH ALL VEGETATIVE DITCH LINES THAT HAVE NOT BEEN STABLIZED BY NOVEMBER I, OR BILL BE ECRADO DURNS THE UNITER CONSTRUCTION PERIOD, MIST BE STABLIZED BITH AN APPROPRIATE STORE LINKS BOOKED BY AN APPROPRIATE GRAVEL BED OR SECTIONITE UNITES GEOGRACLLY RELEASED FROM THIS STORAGED BY THE DEPARTMENT.
- B) BLOFES MILCH NETTING HIST BE USED TO ANCHOR MILCH ON ALL SLOTES GREATER THAN SA UNLESS ERCOKON CONTROL BLANKETS OF PROBLEM CONTROL MIX IS REING 1897), ON TABLES IN CITES

# SOIL TESTING

- O ENTREME REPORT OF PROMPTION OF BACH HATTERAL PROPOSED TO BE USED DURING THE BORK OF THE SECTION TO THE LABORATORY FOR APPROVAL, AND APPROPRIATE TESTING THE DATE PRIOR TO THE START OF THE BACHLORK TO PARTICULAR THE LABORATORY FOR APPROVAL, AND THE PROPRIATE THE START OF THE START OF THE BACHLORK OF THE START OF THE
- FILL THATBRUAL.
  FILLD CHRISTY TEST PROCEDURES SHALL CONFORM TO ONE OF THE POLLOWING.
  ASTIT DEBIG (SAND CORE HETHOD).

- 2) NO BACKPILL OR FILL HATERIAL BUILL BE PLACED OVER A LAYER THAT HAS NOT BEEN TRATED AND APPROVAD.
- SU P, NI THE OPPINGN OF THE LABORATORY, BUBSTANDAMP CONDITIONS ARE ENCORPTENED, BUCH AS QUESTIONABLE BOIL, PROPRIED MAINTENED, BUCH AS QUESTIONABLE BOIL, PROPRIED MAINTENED THAT IT BE COMPRIGING AT NO ADDITIONAL COST OF THE CONFERENCE OF THE LABORATORY WILL REQUIRE THAT IT BE COMPRIGING AT NO ADDITIONAL COST OF THE COMPRISED.
- 4) FRICK TO THE PLACEMENT OF CONCRETE, THE LABORATORY SHALL INSPECT POSTING ENGAVATIONS TO CHECK FOR ANY SOFT ZONES OR AREAS OF HIGH PLACEMENT CLAY, SOFT ZONES SHALL BE REMOVED AND REPLACED AT NO ADDITIONAL COST TO THE CINES.

- U ALL OKNO INDICATED ON THE FLAND ARE TO PRET ALL REQUIREMENTS AND STANDARDS OF THE HIDOT AND THE HANLAL ON INFORM TRAFFIC CONTROL DEVICES.
- 2) PROPERTY LINE AND RIGHT OF EAY HONDERITS SHALL NOT BE DISTURBED BY CONSTRUCTION IF DISTURBED, THEY SHALL SE RECET TO THEIR GROUND, LOCATIONS AT THE CONTRACTIONS EXPENSE BY A MAKE PROPERSIONAL LAND SURVEYOR.
- 3) FROMORIO RIGHT-OR-WAY HONLY BATE AND PROPERTY LINES PING SHALL BE NOTALLED UNDER THE DIRECTION OF A HANE

# PERMITTING NOTES

THE PROJECT WILL BE SIGNECT TO THE TERMS AND CONDITIONS OF THE TOUR OF BALDIER, MANE SITE FLAN ATTROVAL. THE CONTRACTOR SHALL BECOME KNOWLEDGRADLE WITH THE LAND USE OF DINANCE REQUIREMENTS, THE PRINTIN PROJECTION AND

# GRADING AND DRAINAGE NOTES

- ) INLESS CHARGING NOTED, STORE DRAIN PIPE SHALL BE IN ACCORDANCE WITH FLOOT SPECIFICATIONS SECTION SES PIPE CILL WRITE AND STORE DRAINS, LATEST REVISION WITH THE INCEPTION THAT THE CALLY ACCORDANGE THE PIPE AND AS CLUMP TO SELECT AND THE CALLY ACCORDANGE TO THE AREA AS CALL ON THE PROPERTY OF THE AREA AS CALLED THE PIPE AND THE COMMISSION OF A PARTY OF THE AREA AS CALLED THE PIPE AND THE COMMISSION OF A PARTY OF THE AREA AS CALLED THE PIPE AND THE PIPE AREA AS CALLED THE PIPE AREA CAL
- 2) HOPE/INTOOTH INTERIOR CORRUBATED PLASTIC FIFE (SIGP) MAY ONLY BE USED FOR FIFE SIZES AS! DIAPETER AND SMALLER 3) TOPPICILISTREPPED IN ANGLAS OF CONSTRUCTION THAT IS SUITABLE FOR RELIES AS LOAM SMALL BIS STOCKPLEED ON SITE AT A LOCATION DISSIGNATIOD BY THE CUMBRA INSUITABLE SOIL SHALL BIS SETTINGHED AND DISPOSED OF AT AN APPROVED DISPOSAL LOCATION OPENING.
- 4) ALL EXISTING STRUCTURES, PROCESS, TREES, ETC. WITHIN THE COMPTRICTION AREA, DALESS OTHERSASE NOTED TO REPAIN, SHALL BE SENDED AND DISPOSED OF OPPORTS, ANY BURNING CHAITE SHALL BE SUBJECT TO LOCAL CREDINGES AND PROJECT
- BYTHE SITE CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES HAVING UNDERSECUND PRIVES ON SITE OR IN THE RIGHT OF MAY PRIOR TO EXCAVATION THE CONTRACTOR SHALL CONTACT UTILITY LOCATING COMPANY AND LOCATE ALL UTILITIES PRIOR TO GRADAD MORPOLANATION STREET, ALL UTILITY COMPANIES HAVING UNDERSECUND PRIVES ON SITE OR IN THE RIGHT OF MAY
- 6) BITE EXCAVATION AND FILL-IN-PLACE TO ESTABLISH THE DECIRED BUID-GRADE SHALL BE SCHEDULED BUICH THAT EROSION CONTROL PRACTICES ARE IN PLACE AND PLACTIONING DOUN-GRADIENT OF THE EARTHLORK PROPERTO THE START OF EARTHHOUNG ACTUATIONS. TUBASED ON PERSA HAPPING, THE PROJECT AREA IS NOT IN THE IOP YEAR PLOCD PLAN.

### MAINE DEP STORMULATER RILLES CHAPER 500, APPENDIX B.I INSPECTION AND MAINTENANCE

THE POLLOWING STANDARDS MUST BE MET DURING CONSTRUCTION

(A) NOPECTION AND CORRECTIVE ACTION: QUER IS RESPONSELE TO LINE A QUALIFIED ENGINEER TO INSPECT DISTURBED AND INFERVIOUS AREAS, RECORD CONTROL, TRANSPIRE, HATBYLAS STORMAR ATTEMATION OF BUT THE SITE. INVESTOR THE THE THE AREA AT LEAST OFFICE AT EVERY A STORM STORMAR AT LEAST OFFICE AT EVERY A STORM STORMAR AT LEAST OFFICE AT LEAST ACTION OF SURVEY, AND PRIOR TO CORPLETING PREMARKIT STANDLISHINGS, A PERSON WITH KNOWLEDGE OF PROBING AND STORMARTS CONTROL, NOLLDING THE STANDLANDS AND CONDITIONS IN THE PRIOR TO A STANDLANDS AND CONDITIONS IN THE PRIOR TO A STANDLANDS AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST A SHARPLY AND CONDITIONS IN THE PRIOR TO AUGUST AND AUGUST A

(B) MAINTENANCE: IF DEST HANAGERENT PRACTICES (BIFFS) NEED TO BE REPAIRED, THE REPAIR WARK SHALLD BE INITIATED UPON DISCOVERY OF THE PRODUCT BUT NO LATER THAN THE BIOL OF THE RECY UPON DISCOVERY OF THE OR SHAPECAST REPAIR OF SEPERANCE PRESENTATION HAS CONTINUED. A REPAIR ARE ARE RECEDIANT, I PRESENTATION HAS CONTINUED, AREA ARE REPAIRMENT, A PRESENTATION HAS CONTINUED.

(C) DOCUMENTATION: KEEP A LOS (REPORT) REPHARIEMS THE REFECTIONS AND ANY CORRECTIVE ACTION TAKEN. THE LOS HIST INCLIDE THE NAMED) AND GUALIFICATIONS OF THE PERFOCIAL AND HADOR CORRECTIONS ABOUT THE OFFERENCE OF PRINCIPLE OF REPORTS OF THE PERFOCIAL AND HADOR CORRECTIONS AS EXTERNAL CONTROL AND HADRING AND CONTROL AND HADOR CORRECTION OF THE OFFERENCE AND HADRING OFFERENCE OF REPORTS TO THE PARTICLE HADRING AND HADRING OFFERENCE OF THE PRINCIPLE OF THE PARTICLE HADRING AND HADRING A

THE LOGITURY BY HADE ACCESSENCE TO DEPARTMENT STAFF AND A COPY MAY BY PROVIDED LIFCH RECURST. THE PERMITTER SHALL RETAIN A COPY OF THE LOGIFOR A PERSOD OF AT LEAST THREE YEARS PROVIDED COPPLETION OF PERFUNDING STABLECATION.

# MAINE DEP BASIC STANDARDS NOTES

- I NOTALL BROSON CONTROL PERMITS AND SITE CONTAINMENT, INCLUDING BUT NOT LITTLED TO, BILL TEXTURE AND AND THE CONTAINMENT, INCLUDING BUT NOT LITTLED TO, BILL TEXTURE AND THE STEEL S

- U SPILL PREVENTION.
  CONTROLS FURT OR WARD TO PREVENT POLLITARIS MICH CONSTRUCTION AND WASTE HATERIALS STORED ON SITE TO ENTER STOREMATER, WHICH INCLUDES
  CONTROLS FURT OR WARD TO PREVENT POLLITARIS MICH SCHIRACTOR ARE CONTRACTOR OR OPERATOR THAT DEVELOP, AND SPILETENT AS
  RECEDIOLARY, APPROPRIATE OPILL PREVENTION, CONTAINED, AND RESPONSE PLANING PERSONNEL.
- 2) GROUNDIATER PROTECTION

  DIRRY CONSTRUCTION, LIGHD PERIOLISH PRODUCTS AND OTHER HAZARDOUGH HATERIALS WITH THE POTENTIAL TO CONTAFRATE GROUNDIATER HAY NOT

  DIRRY CONTROLLED IN AREAS OF THE SITE TRANSPORT OF AN ENTEROUSH AREA AN SPECIFICATION AREA" IS ANY AREA OF THE SITE THAT BY DESAN OR.

  REGILL OF SOUR, TOPCORNAPY, AND OTHER RELEVANT NACTORS ACCUSED, THE SITE OF THAT INCIDENT IN THE SOUL, DOCK, EXPRA, SUPPR, AND OTHER

  WITH OF CORNAPONY CONTAINED THAT PREVIOUS DECLARAGE TO GROUNDIATER HAY DE USED TO BOULDE PORTIONS OF THE SITE FOR THE PRIPODES OF

  ORDINARY OF HARDLING OF THESE HATERIALS.
- A FLIATIVE REDIRENT AND DUST.

  ACTIONS HAST BE TARGET TO ENGINE THAT ACTIVITIES DO NOT HEIBLE TH NOTICEABLE ENDOKEN OF BOLE OR RIGHTNE DUST. EMISSION DURING OR AFTER
  COMMISSIONED, OIL HAY NOT BE UNDO FOR DUST CONTROL, BUT OTHER MATTER ACCITATION HAY BE CONSIDERED AS RECIDED, A STABLUTED CONSTRUCTION.
  BRITANCE SHOULD BE NOLLDED TO PRIVILE TRACKIONS OF PLO AND SECTIONS. FOR WHICH TRACKING COURSE, TABLUT ENGAGE SHOULD BE SURFT PREDICTION.
  BRITANCE SHOULD BE NOLLDED TO PRIVILE TRACKIONS OF PLO AND SECTIONS. FOR THAT OF PROVIDE PRESIDE REVIEW OF PROVIDE THE PREDICTION OF DUST ON HOME AND SECTION OF HOME AND SECTION OF HOME AND SECTION OF HOME ADDITIVE TO SUPPRESS OF RUST OF THE ACCIONNESS.

  BECAUD LIST DOWN MY AVED ACCIONS ROADS ONCE A SIRRY OR HOME PRECIDENTLY AS NEEDED SITH A SIGNEY ADDITIVE TO SUPPRESS RUST WHITH SECTION OF THE ACCIONNESS.
- A) DIREGIO AND OTHER MATERIALA.

  HANDES THE EMPORAGE OF CONDITIONS DEBMIS, BUILDING AND LANDSCAPED MATERIALS, TRACK, TRACK, PROTICIDES, HERDICIDES, HERBICIDES, HE
- B) EXCAVATION DELIGITISMAS IN THE REPLOVAL OF BLITTER RECH TRENCHES, FOUNDATIONS, COPPER DAYS, PONDS, AND OTHER AREAS BLITTER THE CONSTRUCTION AREA THAT RECHARGING THE REPLOVATION IN HOST CARGO THE COLLECTED WHITER IS SEAVELY OUTSIDE AND HINDERS CORRECT AND WATE CONSTRUCTION AREA THAT RECOLLECTED WHITER REPOYED THE OTHER PONDED AREA THAT RECHARGING WHITE ON HEAVILY OUTSIDE AREA THAT SHE RECHARGING THE COLLECTED WHITER REPOYED TO RECHARGING THE HOUSE AREA OF THE RECHARGING THE RECHARGING THE COMMITTEE THAT THE RECHARGING THE RECHARGING THE WHITE THE WHITE THE RECHARGING THE RECHARGING THE WHITE THAT THE WHITE THE WHITE THE PONDED AREA OF THE BITE BELLIVALISH TREASURED HAT DELIVED TO APPROVED DO NOT THE WHITE THE WHITE
- 6 AUTHORIZED NON-PROPRIETE DISCHARGES.

  DESTRY AND PREVENT CONTAMINATION BY NON-STORMATTER DISCHARGES, WHERE ALLOWED NON-STORMATTER DISCHARGES EGGT, THEY PLAT BE DESTRY AND PREVENT CONTAMINATION BY NON-STORMATTER DISCHARGES ARE DESTRY AND STORMATTER DISCHARGES ARE DESTRY AND A THE DISCHARGES AND A THE DISCHARGES ARE DISCHARGES ARE DISCHARGES ARE

  - AND OF THE DISCHARGE AUTHORIZED NON-STORMULTER PISCHARGES ARE.

    DISCHARGES RICCH PRESCRITION ACTIVITY
    FIRSH INTERNIT FLUSHINGS
    VISACLE GAMENIARE P DETERMENTS ARE NOT USED AND GAMENS IS LIMITED TO THE DOTTON OF VEHICLES (DISSIN, LIMITERS AND TRANSPORT MARKET PARTIES AND TRANSPORT MARKET PORTER BOS.

    PACIFIED AND GAMENIARES IN PROTESTED INTO PERSON CONTROL OF THE TANKS DEP CAMPTER BOS.

    PACIFIED AND SILL DISC GAMENIA PROTESTED OF TOOLS OF MALE PARTIES POWER. THAT DOES NOT INVOLVE DETERMENTS
    PACEFORT GAMENIARE PHILLIPS OF TOOLS OF MALE PARTIES AND THE TANKS DEP CAMPTER BOS.

    PACEFORT GAMENIARE PHILLIPS OF TOOLS OF TOOLS OF MALE PARTIES AND THE TANKS DEP CAMPTER BOS.


    FOR DATA OF THE DISTORMENTS AND THE TOOLS OF TOOLS OF MALE PARTIES AND THE TANKS DEP CAMPTER BOS.

    FOR DATA OF THE PROTESTED AND TOOLS OF TOOLS OF TOOLS OF THE TANKS DEP CAMPTER BOS.

    FOR DATA OF THE PROTESTED AND THE PARTIES GAMENIA FOR THE PARTIES AND THE PARTIES AND

# 5-YEAR RECERTIFICATION

EVENT 5-TEARS, FROM THE DATE OF PERMIT ISSUANCE, THE DEP REQUIRES A RECERTIFICATION OF THE PERMANENT STORMWATER COMPONENTS. THE RECERTIFICATION HALL BE PREPARED BY A PERSON WITH RESILEDGE OF PERSON AND STORMWATER CONTROLS. THE HOST RECENT EDITION OF THE RECENTED AND REPORTS WALL IN EQUIVABLE PROFIT THE CITY OF A DESCRIPTION OF THE



STOCKADE FENCE TRASH DUMPSTER ENCLOSURE NOT TO ACALE

ENGINEERING, II
IG THURSTON DRIVE
ONMOUTH, MAINE 84259
(2071) 242-6248 tall
stave®s, Fenglacom 02 જ

STRUCTION NOT I MARKS LANE GARDINER GLASSIT OWER G TOWN 2, LLC SHOLL ROAD - WITHERDS IF EV U ₹ SNO -

DATE PROJECT JULY 2023 2023-007 DRAWN BY SCALE BRJ NT6

SHEET 3



- 1) THE BOIL HILTER IS PART OF A CITY OF ALIBURAL PERMIT, CONSTRUCTION SHALL FOLLOW CURRENT MAKE DEP QUIDELINES WHICH NOLLIDE APPROVAL OF NATERIAL PRIOR TO PLACED SHAT AND CONSTRUCTION OVERSIONED BY THE DESIGN ENGINEER.
- 2) BLEMIT BAYFILES AND GRADATIONS FOR EACH MATERIAL TO BE USED. PROVIDE EXPECTED DESIGN MY. PERFORM AND PROVIDE STANDARD PROCTION ON COMBINED MOTURE AS USELL AS A PERFECUENCY TEST.
- 5) SCARFY TO LOOSEN EXISTING SOIL AT LEAST S' PRIOR TO LAYING FIRST LATER OF THE SOIL FILTER SECTION.
- 4) MAXIMIM SPACING OF UNDERDRAIN PIPMG IS 10" O.C. END CAPS SHALL BE INSTALLED ON ALL UNDER DRAIN PIPES.
- 6) AFTER AFFROYAL OF MATERIAL, PLACE FLITER MEDIA IN TWO LIFTS WITH LOW WEIGHT VEHICLES TO 90% STANDARD FROCTOR.
- b) FROMDE 1" OF BARK MILCH OR BROBON CONTROL MIX ON TOP OF THE PILTER BED UNTIL THE SITE HAD FROMODED HARDSCAPE PLACED AND HAD VEGETATION UPLL BETABLISHED SHEWHERE ELAB. OCC THE BITE IS OF ANALIZED, REPOVE THE FILL OF AND ACCUPILATED SEDIMENT FROM THE PILTER AND BOTABLISH VEGETATION PER THE FILTER BED SEEDING PLAN.
- PRIOR TO TURNING OVER TO CUNER, REMOVE SEDIMENT AND DEBRIS PROM FILTER SURFACE, OVERFLOW WER, INSIDE OVERFLOW STRUCTURE, AND DESCHARGE PIPE.

FILTER MEDIA	SAND	TOPBOIL	MULCH
MIXTURE BY VOL	50% (15%)	25% (45%)	25% (65%)
OFECIFICATION	MEDOT SPEC. MOSØI FINE AGGREGATE FOR CONCRETE	USDA LOAMY SANDY TOPSOIL	WOODY FIBER I HODERATELY FINE, OF RECIDED BARK OFFERINGED OR SCILL ADAISTED FOR MINERAL COLL CONTENT WITH LEGG THAN BE FARSING THE 9292 GEVE
	GRAD	PATION	
SIEVE SIZE	% BY WEIGHT	% BY WEIGHT	% BY WEIGHT
36.1	100	- 2	3+
4	30-100	T5-95	34
В	80-100	- a	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )
lØ		60-90	
16	8 <b>.</b> Ø-88		
30	25-60		
40		35-25	
60	10-30		
100	2-10	- 3	
200	Ø-6	B-2B	
200 CLAY	<2% **	<2% **	<2% **


\* \* COMBINED MIXTURE CLAY CONTENT SHALL NOT EXCEED 2%


BERM EL -286.0

NOTE: THE SOIL FILTER SHALL DRAIN IN NO LESS THAN 24 hrs BUT NOT HORE THAN 48 hrs

FILTER BASIN IA EMERGENCY SPILLWAY DETAIL

NOT TO SCALE






(SEE PAVED AREA )

WATER SERVICE TRENCH DETAIL

NOT TO SCALE




MOVEN POLYPROFYLENE -BILITATION FABRIC


METAL OR WOODEN POSTS

EXISTING FIN. GRADE

BILITATION FABRIC WITH INTEGRAL MEGH AND POSTS MAY BE USED. EROSION CONTROL FILTER BERM IS AN ACCEPTABLE ALTERNATIVE TO SILT FENCING.


> SILT FENCE DETAIL NOT TO SCALE






- 1) COMPACT GRAVEL SUBBASE BASE COURSE TO 95% OF THEIR MAXIMUM DRY DENSITY AS DETERMINED BY ASTM D-551.
- 2) HOT MIX ASPHALT PAYEMENT MUST BE COMPACTED TO 92%-91% OF ITS THEORETICAL MAXIMUM DENSITY AS DETERMINED BY ASTM D-2044.
- 3) A TACK COAT MUST BE USED BETWEEN SUCCESSIVE LIFTS OF BITUMINOUS PAVEMENT.
- 4) PROVIDE NON-PROST BUSCEPTIBLE COMPACTED FILL GRANULAR BORROW (MOOT 108,18) BELOW PAVEMENT IN FILL AREAS. 5) CONTRACTOR SHALL SET GRADE STAKES MARKING BUSSASE AND FINISH GRADE ELEVATIONS FOR CONSTRUCTION REFERENCE.
- 6) USE MIRAFI 600X FABRIC OVER WET CLIBGRADE AREAG WHERE DIRECTED BY OWNER OR HIS REPRESENTATIVES.


# STANDARD PAVED AREA CROSS SECTION NOT TO SCALE






STONE BERM LEVEL SPREADER

# ROOF STONE DRIP EDGE NOT TO SCALE



FILTER BASIN IA - OUTLET CONTROL STRUCTURE DETAIL (NOT TO BCALE)



INC. I E.:

PILITER POND SOIL PILITER DETAILS DEPICTS ELEVATIONS AT THE
BOTTOM PERMITTER OF THE POND AND NOT THE LOW POINT OF
THE POND. SEE SITE PLAN GRADING AND SECTION FOR LOW POINT
OF ELEVATION (TYPICALLY NEAR THE CONTROL STRUCTURE)

SOIL FILTER POND IA/IB DETAIL

NOT TO SCALE

4" I ØAM

ENGINEERING, IS THURSTON DRIVE IONMOUTH, MAINE Ø4255 (127) 242-6248 tel (127) 243-6248 tel <u>S</u>

RUCTION I MARKS LA GARDINER U à

DATE PROJECT JULY 2023 2023-007 DRAIN BY SCALE BRJ NT6

SHEET 4

